

FIREWOOD PROCESSING



MAIN CATALOGUE 2026

OFFER FOR OUR CUSTOMERS WHO ARE ENTREPRENEURS AND NOT CONSUMERS

HWSE 700 K – Rocker circular saw with direct drive

- ▶ Closed and safe sawing area for greater safety thanks to legally prescribed saw guard
- ▶ Anti-twist protection of the wood through punched barbs in the rocker
- ▶ Sturdy, torsion-resistant steel frame
- ▶ Mobile device for easy transport
- ▶ Impact-, scratch- and weather-resistant powder coating
- ▶ Phase inverter



**5.0 kW
powerful
industrial
motor**




Model		HWSE 700 K
Art. no.		5960702
Technical data		
Saw blade Ø	mm	700
Round timber cutting capacity max.	mm	250
Working height	mm	700
Saw blade speed	min ⁻¹	1400
Drive type	Electric motor with direct drive	
Motor power	kW	5
Electrical connection	V / Hz	400 / 50
Sound pressure level	dB(A)	92.5
Dimensions (L x W x H) approx.	mm	1030 x 770 x 1095
Weight approx.	kg	92.5

SCOPE OF DELIVERY
• Carbide saw blade Ø 700 mm

Rocker circular saws

HWS series – Rocker circular saws with direct drive



- ▶ Closed and safe sawing area for greater safety thanks to legally prescribed saw guard
- ▶ Fast and ergonomic handling with patented protective flap
- ▶ Anti-twist protection of the wood through

- punched barbs in the rocker
- ▶ Sturdy, torsion-resistant steel frame
- ▶ Robust and powerful circular saw motor
- ▶ Effort-saving operation thanks to ideal luffing pivot point

- ▶ Mobile device for easy transport
- ▶ Impact-, scratch- and weather-resistant thanks to high-quality powder coating
- ▶ Phase inverter for all 400 V models

HWS 505 K

- ▶ Optimum cutting of all types of wood
- ▶ Delivery partially assembled


Including
**PROTECTIVE
DEVICE**
EN standard
1870-6
since 1 July 2018



HWS 720 K

- ▶ High cutting performance
- ▶ Delivery partially assembled

Including
**PROTECTIVE
DEVICE**
EN standard
1870-6
since 1 July 2018



SCOPE OF DELIVERY

- Carbide saw blade Z 42

Model		HWS 505 K 230 V	HWS 505 K 400 V	HWS 720 K
Art. no.		5965505	5965506	5965721
Technical data				
Saw blade diameter	mm	500 / 505	500 / 505	700
Cutting capacity round timber max.	mm	170	170	240
Cutting capacity firewood max.	mm	240 x 190	240 x 190	370 x 240
Saw blade speed	min ⁻¹	2800	2800	1400
Rocker support	mm	735	735	735
Drive type		Electric motor with direct drive		
Motor power	kW	2.6	3	4.5
Electrical connection ~50 Hz	V	230	400	400
Dimensions (L x W x H) approx.	mm	860 x 775 x 990	860 x 775 x 990	1270 x 730 x 1130
Weight approx.	kg	75 kg	75 kg	100 kg



HWS 701 K (5.2 kW) / HWS 702 K (7.5 kW)

- ▶ High cutting performance
- ▶ Rocker extension with cutting length indicator for easy cutting of equal wood lengths
- ▶ Delivery fully assembled



Fig. without rocker extension

HWS 701 S (5.2 kW) / HWS 702 S (7.5 kW)

- ▶ High cutting performance
- ▶ Safe and smooth operation even when fully loaded thanks to the movable handle, which fixes the cuttings in the rocker
- ▶ Rocker extension with cutting length indicator for easy cutting of equal wood lengths
- ▶ Delivery fully assembled




Fig. without rocker extension

SCOPE OF DELIVERY

- Carbide saw blade Ø700 mm Z 42
- Rocker extension

Model		HWS 701 K	HWS 702 K	HWS 701 S	HWS 702 S
Art. no.		5966701	5966702	5963703	5963710
Technical data					
Saw blade diameter	mm	700	700	700	700
Cutting capacity round timber max.	mm	240	240	240	240
Cutting capacity firewood max.	mm	370 x 240	370 x 240	370 x 240	370 x 240
Saw blade speed	min ⁻¹	1380	1400	1380	1400
Rocker support	mm	735	735	735	735
Drive type		Electric motor with direct drive			
Motor power	kW	5.2	7.5	5.2	7.5
Electrical connection ~50 Hz	V	400	400	400	400
Dimensions (L x W x H) approx.	mm	1270 x 730 x 1130	1270 x 730 x 1130	1270 x 730 x 1130	1270 x 730 x 1130
Weight approx.	kg	117	121.5	123.5	128