

FIREWOOD PROCESSING




MAIN CATALOGUE 2026

OFFER FOR OUR CUSTOMERS WHO ARE ENTREPRENEURS AND NOT CONSUMERS

Rocker circular saws

HWSR series – Rocker circular saws with V-belt drive



- ▶ Closed and safe sawing area for greater safety thanks to legally prescribed saw guard
- ▶ Robust construction with V-belt drive enables greater cutting depth and particularly high cutting volume
- ▶ Anti-twist protection of the wood through punched barbs in the rocker
- ▶ Sturdy, torsion-resistant steel frame

HWSR 701 K (5.2 kW)

- ▶ Robust and powerful circular saw motor
- ▶ Mobile device for easy transport



Including
**PROTECTIVE
DEVICE**
EN standard
1870-6
since 1 July 2018
Including
Rocker
extension




Fig. without rocker extension

HWSR 702 K (7.5 kW)

- ▶ Robust and powerful circular saw motor
- ▶ Mobile device for easy transport



Including
**PROTECTIVE
DEVICE**
EN standard
1870-6
since 1 July 2018
Including
Rocker
extension




Fig. without rocker extension

Model		HWSR 701 K	HWSR 702 K
Art. no.		5966770	5966772
Technical data			
Saw blade diameter	mm	700	700
Cutting capacity round timber max.	mm	250	250
Cutting capacity firewood max.	mm	370 x 250	370 x 250
Saw blade speed	min ⁻¹	1380	1400
Rocker support	mm	735	735
Drive type		Electric motor with V-belt drive	
Motor power	kW	5.2	7.5
Electrical connection ~50 Hz	V	400	400
Dimensions (L x W x H) approx.	mm	1060 x 820 x 1150	1060 x 820 x 1150
Weight approx.	kg	152	156

SCOPE OF DELIVERY

- Carbide saw blade Ø700 mm Z 42
- Rocker extension



- ▶ Effort-saving operation thanks to ideal luffing pivot point
- ▶ Rocker extension with cutting length indicator for easy cutting of equal wood lengths

- ▶ Impact-, scratch- and weather-resistant thanks to high-quality powder coating

- ▶ Phase inverter for all 400 V models
- ▶ Delivery fully assembled

HWSR 701 Z K

- ▶ PTO drive
- ▶ Three-point mounting cat. I and II



Including
**PROTECTIVE
DEVICE**
EN standard
1870-6
since 1 July 2018

Including
**Rocker
extension**




Fig. without rocker extension

HWSR 701 ZE K

- ▶ Combined PTO/electric drive
- ▶ Robust and powerful circular saw motor
- ▶ Three-point mounting cat. I and II



Including
**PROTECTIVE
DEVICE**
EN standard
1870-6
since 1 July 2018

Including
**Rocker
extension**




Fig. without rocker extension

Model		HWSR 701 Z K	HWSR 701 ZE K
Art. no.		5966773	5966774
Technical data			
Saw blade diameter	mm	700	700
Cutting capacity round timber max.	mm	250	250
Cutting capacity firewood max.	mm	370 x 250	370 x 250
Saw blade speed	min ⁻¹	–	1380
Rocker support	mm	735	735
Drive type		PTO shaft ⁽¹⁾ with V-belt drive	PTO shaft ⁽¹⁾ / electric motor with V-belt drive
Motor power	kW	–	5.2
Electrical connection ~ 50 Hz	V	–	400
Dimensions (L x W x H) approx.	mm	1410 x 900 x 1150	1500 x 900 x 1150
Weight approx.	kg	171	217

SCOPE OF DELIVERY

- Carbide saw blade Ø700 mm Z 42
- Rocker extension

(1) Recommended tractor power: 20 PS