

minimax

holzkraft®

WOODWORKING MACHINES



MAIN CATALOGUE 2025/26

OFFER FOR OUR CUSTOMERS WHO ARE ENTREPRENEURS AND NOT CONSUMERS

***CHOP/MITRE SAW
CONSTRUCTION SITE
CIRCULAR SAW
CIRCULAR CARPENTRY SAW
RADIAL ARM SAWS***



Chop/mitre saws

KGZ 2540 Vario / KGZ 3050 Vario

Chop/mitre saws with pull function.

Mobile and versatile, designed for precision and safety

- ▶ Equipped with soft start
- ▶ With infinitely variable speed
- ▶ Base plate and turntable made of die-cast aluminium: compact, robust and easy to transport at the same time
- ▶ Grid pitches in the turntable
- ▶ With 31.6° grid spacing especially for cutting ceiling mouldings
- ▶ With double slope and mitre as standard
- ▶ Extension of the workpiece support on both sides with folding stops for repeatable work
- ▶ With chip bag as standard
- ▶ Quick and easy saw blade change
- ▶ Fine adjustment of angle
- ▶ Adjustable and high workpiece stops made of aluminium
- ▶ Screw clamp for secure workpiece locking
- ▶ Also suitable for cutting cornice profiles




KGZ 2540 Vario



KGZ 3050 Vario

Model	KGZ 2540 Vario	KGZ 3050 Vario
Article No.	5701254	5701315
Technical data		
Cutting capacity at 0° inclination / 0° mitre	89 x 292 mm	100 x 305 mm
Cutting capacity at -45° inclination / 0° mitre	41 x 318 mm	64 x 305 mm
Cutting capacity at +45° inclination / 0° mitre	25 x 318 mm	44 x 305 mm
Cutting capacity at 0° inclination / -45° mitre	64 x 222 mm	100 x 215 mm
Cutting capacity at 0° inclination / +45° mitre	64 x 222 mm	100 x 215 mm
Saw blade speed	2000 - 4000 min ⁻¹	2000 - 4000 min ⁻¹
Saw blade Ø	254 mm	305 mm
Cable length	3.4 m	3.4 m
Head tilt max.	-47 left / +47 ° right	-47 left / +47 ° right
Motor power S6 ~50 Hz	1.6 kW / 230 V	1.6 kW / 230 V
Dimensions (L x W x H) approx.	595 x 825 x 696 mm	595 x 800 x 710 mm
Weight approx.	21.6 kg	23 kg

Double slope



With double slope and double mitre as standard,
Extension of the workpiece support on both sides with folding stops




KGZ 3050 Vario
Hinged stops for series work



· Extendable stop rails



· Convenient adjustment of the
mitre and head tilt directly
from the table fronts



· Locking device to limit the
cutting depth



· Supplied as stand-
ard with laser



· Space-saving design

ACCESSORIES

Accessories	Article No.
Carbide saw blade Ø250 x 3.2 x 2.2 x 30 mm, Z60 WZ for solid wood and panel materials	5262510
Carbide saw blade Ø250 x 3.2 x 2.5 x 30 mm, Z60 TF for non-ferrous metals and plastic profiles	5262511
Carbide saw blade Ø305 x 2.6 x 1.8 x 30 mm, Z60 WZ for solid wood and panel materials	5260306
Carbide saw blade Ø305 x 2.6 x 1.8 x 30 mm, Z60 TF for non-ferrous metals and plastic profiles	5260310
1 Universal work table UWT 3200	5900020



1 Universal work table UWT 3200