

minimax

holzkraft®

WOODWORKING MACHINES



MAIN CATALOGUE 2025/26

OFFER FOR OUR CUSTOMERS WHO ARE ENTREPRENEURS AND NOT CONSUMERS


***CHOP/MITRE SAW
CONSTRUCTION SITE
CIRCULAR SAW
CIRCULAR CARPENTRY SAW
RADIAL ARM SAWS***



TKS-Z 400

Carpentry table saw - Ideal for rip, cross and mitre cuts

- ▶ Saw blade can be swivelled up to 45° and rotated by up to 90°
- ▶ Inclination of the saw unit via hand lever and scale
- ▶ Suitable for creating valley and hip rafters as well as eaves and wedge planks
- ▶ Saw blade guard with suction connection
- ▶ Rip fence with scale
- ▶ Tool box on the machine frame for neat storage of tools
- ▶ Chassis and hand lever make transport easier
- ▶ Cantilever set available as an accessory to make working with long workpieces considerably easier



Scan QR code

Video and
Information

Scope of delivery:

- HM- Saw blade 400 x 4.0 x 30 mm , Z 28
- Riving knife 3.8 mm
- Riving knife 2.8 mm
- Sliding carriage with mitre fence
- Push stick
- Operating tool

Model


Article No.

TKS-Z 400

5741400

Technical data

Table dimensions (L x W x H)	mm	945 x 715 x 845
Sliding carriage dimensions (LxWxH)	mm	560 x 140 x 40
Cutting width with rip fence	mm	640
Cutting width to the left of the saw blade max.	mm	410
Inclination of the saw blade	°	90 – 45
Cutting height 90° / 45° max.	mm	120 / 90
Saw blade projection 90° / 45° max.	mm	120 / 90
Diameter main saw blade	mm	400
Main saw blade speed	mm	2800
Suction port	mm	Ø 100
Saw blade guard suction nozzle Ø	mm	Ø 100
Input power~50 Hz	kW	2.8 / 400
Dimensions (L x W x H) approx.	mm	1350 x 1100 x 1180
Weight approx.	kg	131



- Saw blade rotation of up to 90° (illustration shows extension arm set available as an accessory, Art. No.5741404)



- Shift cut

ACCESSORIES

Accessories

Cantilever set

- Makes working with long workpieces considerably easier
- Includes infeed roller conveyor 1000 mm with stop rail and outfeed roller conveyor 1000 mm

Article No.

5741404



Carbide saw blade Ø400 x 30 x 4 mm Z28	5741405
Cutting-changing circular saw blade Ø400 x 30 x 3,5 mm Z36	5264036
Cutting-changing circular saw blade Ø400 x 30 x 3,5 mm Z96	5264096
Protractor WM 90-4 For precise angle adjustment of saw blades, magnet in the housing integrated	5910094

