

 minimax

 **holzcraft**[®]

WOODWORKING MACHINES



MAIN CATALOGUE 2025/26

OFFER FOR OUR CUSTOMERS WHO ARE ENTREPRENEURS AND NOT CONSUMERS

Gluing presses

VP 3000x4

Gluing press for precise pressure in the right place

- Supports the production of table tops and the gluing of solid edges
- Uniform vertical pressure exerted thanks to double spring-loaded guidance of the hand-hydraulic pressing units
- Adjustable horizontally and vertically
- Integrated hold-down device for full-surface support of the workpiece



- Integrated hold-down device presses the workpiece against the vertical profiles and prevents the workpiece from bending



Model		VP 3000x4
Article No.		5800030

Technical data		
Working area (H x W)	mm	1460 x 2900
Number of vertical press units		4
Piston stroke max.	mm	70
Pressing force max.	kg	2000
Hydraulic oil quantity	mm	0.12
Hydraulic oil		L-HM-32
Vertical hole pattern	mm	50
Number of pistons		4
Dimensions (L x W x H) approx.	mm	2900 x 900 x 2000
Weight approx.	kg	220

minimax

holzkraft®

WOODWORKING MACHINES



MAIN CATALOGUE 2025/26

OFFER FOR OUR CUSTOMERS WHO ARE ENTREPRENEURS AND NOT CONSUMERS



VP 3000x6 RP

Gluing press for precise pressure in the right place

- ▶ Ideal for the production of frames, windows and doors thanks to horizontal and vertical pressing units
- ▶ Centralised generation of hydraulic pressure via hand pump with pressure indicator
- ▶ Each pressing unit can be switched off individually with stopcock
- ▶ Integrated hold-down device for full-surface support of the workpiece



- Integrated hold-down device presses the workpiece against the vertical profiles and prevents the workpiece from bending



- Ideal for the production of frames and gluing of mitre cuts

Model		VP 3000x6 RP
Article No.		5800300

Technical data		
Working area (H x W)	mm	1550 x 2,500
Number of vertical press units		4
Number of horizontal press units		2
Piston stroke max.	mm	95
Pressing force max.	kg	2500
Hydraulic oil quantity	mm	1.6
Hydraulic oil		L-HM-32
Vertical hole pattern	mm	50
Horizontal hole pattern	mm	240
Number of pistons		6
Dimensions (L x W x H) approx.	mm	3300 x 900 x 2000
Weight approx.	kg	325

minimax

holzkraft®

WOODWORKING MACHINES



MAIN CATALOGUE 2025/26

OFFER FOR OUR CUSTOMERS WHO ARE ENTREPRENEURS AND NOT CONSUMERS

VP 3000x3 PRO / VP 3000x5RP PRO

Solid gluing presses for the professional sector.

VP 3000x5RP PRO with frame pressing device

- ▶ Supports the production of table tops and the gluing of solid edges
- ▶ Torsion-resistant base frame made of sturdy welded frame construction with thick-walled profile tubes and laser-machined steel parts
- ▶ Three vertical pressure beams with roller bearings made of solid profile tube, galvanised
- ▶ Horizontal and vertical adjustment of the manual hydraulic press units possible
- ▶ Three vertical manual hydraulic press units with ergonomic handle and comfort adjustment
- ▶ Lower abutment with safety catch, adjustable in 5 positions on a grid
- ▶ Powder-coated and glue-repellent frame components

VP 3000x5RP PRO

- ▶ Practical frame pressing device with two horizontal manual hydraulic units



Fig.: VP 3000x3 PRO with additional pressure bars, hold-down devices and chassis available as accessories.

Model		VP 3000x3 PRO	VP 3000x5 RP PRO
Article No.		5801030	5801300
Technical data			
Working area (H x W)	mm	3000 x 1610	2630 x 1610
Number of horizontal press units		-	2
Number Press units vertical		3	3
Piston stroke max.	mm	60	60
Max. pressing force	N	20000	20000
Vertical hole pattern	mm	50	50
Dimensions (L x W x H) approx.	mm	3200 x 730 x 2090	3300 x 730 x 2090
Weight approx.	kg	350	400