



*WOODWORKING MACHINES
FOR THE HOME AND CRAFTSMAN*



MAIN CATALOG 2025/26

OFFER FOR OUR CUSTOMERS WHO ARE ENTREPRENEURS AND NOT CONSUMERS

15. October 2025, 8:42 am

THICKNESS PLANER SURFACE PLANER- THICKNESSER



Surface planer- thicknesser



ADH 32 / ADH 41

Surface planer-thicknesser

- ▶ Thicknessing plane for precise, angular planing of smooth surfaces
- ▶ Thicknessing table with central column guide, additional guide and mechanical counter (accuracy 0.1 mm)
- ▶ ADH 41 with adjustable thickness table rollers for optimum workpiece transport
- ▶ Large dressing table made of grey cast iron with ground surface
- ▶ Folding up the dressing tables with spring support for quick and easy conversion to thicknessing in seconds
- ▶ Sturdy professional dressing fence can be swivelled from 90 to +45°
- ▶ Space-saving lateral guidance of the dressing fence
- ▶ High-quality workmanship and ergonomic design



ADH 32



ADH 41

SCOPE OF DELIVERY

- Strip planer blade set or spiral cutterblock



Precision-mounted blade planing shaft with reversible blades



Planing tables
Large dimensioned
Made of grey cast iron with polished surface



Thicknessing table
Guide on centre pillar and additional guide
Height adjustment via handwheel
Height display by mechanical counter with 0.1 mm accuracy

Model		ADH 32	ADH 41	Strip planer blade set
Art. no.		5940032	5940041	

Model		ADH 32 Spiral	ADH 41 Spiral	Spiral blade shaft
Art. no.		5940033	5940042	

Surface planer				
Surface planing table dimensions (L x W)	mm	1,500 x 320	1,800 x 410	
Working width max.	mm	320	410	
Chip removal max.	mm	5	5	
Planing table working height	mm	850	850	
Dimensions of the planing fence (L x W)	mm	1,100 x 155	1,100 x 155	
Planing fence inclination	°	0 – 45	0 – 45	
Thickness planer				
Thicknessing table dimensions (L x W)	mm	700 x 316	700 x 406	
Working width max.	mm	316	406	
Chip removal max.	mm	4	4	
Feed speed	m/min	8	8	
Min. / max. thickness clearance	mm	4 / 225	4 / 225	
General				
Diameter of planing shaft	mm	100	100	
Number of planing blades	Piece	3	4	
Suction nozzle Ø	mm	120	120	
Planing shaft speed	min ⁻¹	4,600	4,600	
Motor power ~50 Hz	kW	4 / 400	5.5 / 400	
Dimensions (L x W x H) approx.	mm	1,500 x 650 x 1,000	1,800 x 740 x 1,000	
Weight approx.	kg	360	420	

Slot mortising device (optional)		Art. no.: 5940000	Art. no.: 5940001
Dimension of table (L x B)	mm	370 x 250	500 x 300
Transverse stroke	mm	160	250
Longitudinal stroke	mm	160	210
Vertical lift	mm	120	160
Weight approx.	kg	68	96



Barkomat setting gauge



Wescott slot mortising device
0 - 16 mm

Accessories ADH 32		Art. no.
Slot mortising device		5940000
Wescott 0 - 16 mm		5940002
Travelling device		5913261
Replacement plane blade set (PU 3)		
Accessories ADH 41		Art. no.
Wescott slot mortising device 0 - 16 mm		5940001
Travelling device		5940003
Replacement plane blade set (PU 2)		5913262
Barkomat setting gauge (for ADH 32 and ADH 41)		5275101
Magnetic setting gauge for planer knives		5914020