



*WOODWORKING MACHINES
FOR THE HOME AND CRAFTSMAN*



MAIN CATALOG 2025/26

OFFER FOR OUR CUSTOMERS WHO ARE ENTREPRENEURS AND NOT CONSUMERS

15. October 2025, 8:42 am

Slot mortising machine

LLB 16 PB

Cost-effective and compact **slot mortising machine** with right/left rotation, mitre fence and dowel drilling device

- ▶ Row drilling possible using dowel drilling device with grid spacing 16/22/25/32 mm
- ▶ Wescott drill chuck 0–16 mm as standard
- ▶ Clockwise and anti-clockwise rotation as standard
- ▶ Powerful motor
- ▶ Simple one-hand lever operation of the worktable for fast and precise drilling
- ▶ Roller guide enables precise movement of the worktable
- ▶ Convenient, precise table height adjustment via a handwheel with numerical display
- ▶ Set height of the worktable can also be read off the scale
- ▶ An eccentric clamp for secure workpiece fixing included in the scope of delivery
- ▶ Angle stop adjustable by 60° on both sides
- ▶ Substructure equipped with large, lockable tool compartment



Row drilling possible using dowel drilling device with grid spacing 16/22/25/32 mm



Angle stop adjustable by 60° on both sides



Convenient, precise table height adjustment via a handwheel with numerical display



Set height of the worktable can also be read off the scale

SCOPE OF DELIVERY

- Eccentric clamp
- Mitre fence ± 60° with ruler

Model		LLB 16 PB
Art. no. (230 V)		5906016
Art. no. (400 V)		5906017

Technical data		
Table dimensions (L x W)	mm	500 x 207
Drilling width	mm	300
Drilling depth max. at 90°	mm	140
Work table height adjustment	mm	150
Tool holder		Wescott drill chuck
Clamping diameter of the tool	mm	0-16
Spindle speeds	min ⁻¹	2,850
Input power ~ 50 Hz	kW/V	2.2/ 230 or 400
Suction nozzle diameter	mm	100
Dimensions (L x W x H) approx.	mm	905 x 710 x 1,230
Weight approx.	kg	108

Accessories	Art. no.
Hollow mortise chisel 6.35 mm (1/4")	5916100
Hollow mortise chisel 8 mm (5/16")	5916101
Hollow mortise chisel 9.5 mm (3/8")	5916102
Hollow mortise chisel 12.7 mm (1/2")	5916103
Slot mortising drill set 5-piece, anti-clockwise rotation	5333681
Slot mortising drill set 5-piece, clockwise rotation	5333682
Universal chassis UF 230	



*WOODWORKING MACHINES
FOR THE HOME AND CRAFTSMAN*



MAIN CATALOG 2025/26

OFFER FOR OUR CUSTOMERS WHO ARE ENTREPRENEURS AND NOT CONSUMERS

15. October 2025, 8:42 am

LLB 20 PB

Slot mortising machine with right/left rotation, two spindle speeds and dowel drilling device

- ▶ Row drilling possible using dowel drilling device with grid spacing of 16/22/25/32 mm
- ▶ Wescott drill chuck 0 - 20 mm as standard
- ▶ Right/left rotation and two spindle speeds selectable via rotary knob
- ▶ Powerful motor with 3.8 kW
- ▶ Simple one-hand lever operation of the worktable for fast and precise drilling
- ▶ Roller guide enables precise movement of the worktable
- ▶ Convenient, precise drill head height adjustment via a handwheel
- ▶ Set height of the work table can be read off the scale
- ▶ Two eccentric clamps for secure workpiece fixation included in delivery
- ▶ Angle stop adjustable by 60° on both sides
- ▶ Substructure equipped with large, lockable tool compartment
- ▶ Work table dimensions 570 x 300 mm, table extension available as an accessory



SCOPE OF DELIVERY

- Two eccentric clamps
- Mitre fence +/- 60° with ruler
- Hollow mortise chisel 9.5 mm (3/8")
- 4 mortising chisel holders 19, 20, 28, 30 mm shank

Model		LLB 20 PB
Art. no.		5906023

Technical data		
Table dimensions (L x W)	mm	570 x 300
Drilling width	mm	300
Drilling depth max. at 90°	mm	155
Drill head height adjustment	mm	160
Clamping diameter of the tool	mm	0 – 20
Spindle speeds	min ⁻¹	2,800 / 1,400
Motor power ~50 Hz	kW/V	2.8 / 400
Suction nozzle diameter	mm	100
Dimensions (L x W x H) approx.	mm	950 x 700 x 1,340
Weight approx.	kg	140



Accessories	Art. no.
Table widening and extension	5916020
Hollow mortise chisel 6.35 mm (1/4")	5916100
Hollow mortise chisel 8 mm (5/16")	5916101
Hollow mortise chisel 9.5 mm (3/8")	5916102
Hollow mortise chisel 12.7 mm (1/2")	5916103
Slot mortising drill set 5-piece, anti-clockwise rotation	5333681
Slot mortising drill set 5-piece, clockwise rotation	5333682