

PARTS WASHERS



Parts washer

Parts washers TWG – for thorough cleaning of complex parts

- ▶ Even complex automotive parts can be cleaned and degreased quickly and easily before soldering or painting
- ▶ Targeted cleaning of parts using flexible metal hose
- ▶ Electric pump with 3.3 l/min delivery rate
- ▶ Only suitable for non-flammable liquids!



TWG 20



TWG 80



TWG 150

Model		TWG 20	TWG 80	TWG 150
Art. no.		6220020	6220080	6220150
Technical data				
Cleaning agent Volume flow	l/min	3.3	3.3	3.3
Cleaning agent tank contents	l	10.5	36	72
Max. weight on the support grid	kg	10	20	40
Input power ~50 Hz	k/V	0.026/ 230	0.026/ 230	0.026/ 230
Connection cable length	m	1.5	1.5	1.5
Work cabin volume	l	20	80	150
Dimensions (L x W x H) approx.	mm	430 x 340 x 220	760 x 540 x 880	1090 x 540 x 890
Weight approx.	kg	6.5	23	42



UR special 10l



Filters

Accessory	Art. no.
Cleaning brush	6231020
Filter for TWG 80/150	6231021
Intensive Universal cleaner UR-Special 10l	7321910

Parts washer TWG 1 –

Closed design, for thorough cleaning of complex parts

Optimum cleaning even where you can't reach with a brush or cloth

- ▶ Even complex automotive parts can be cleaned and degreased quickly and easily before soldering or painting
- ▶ Gun with high working pressure for quick cleaning and blowing out
- ▶ Optimum view of the work area thanks to bright interior lighting and large viewing window

Clean working

- ▶ The enclosed design keeps the dirt in the cabin
- ▶ A fan ensures clean air in the interior
- ▶ Comfortable protective gloves integrated in the housing

Sophisticated details

- ▶ Large, smooth-running lid for quick and easy loading and unloading
- ▶ Thanks to its compact design, the cabin fits on any worktable
- ▶ Strainer, support grid and water container are easy to remove
- ▶ Simple compressed air connection on the right-hand side of the cabin




- Cleaning gun with dual function cleaning and blowing out



- Thanks to its compact design, the cabin fits on any worktable



- Large, smooth-running lid for quick and easy loading and unloading



- Optimum view of the work area thanks to bright interior lighting and large viewing window

Thorough cleaning of complex parts



Cleaning gun with dual function

Compact design



Suitable compressors can be found in the AIRCRAFT main catalogue and on www.aircraft-kompressoren.com

Model		TWG 1
Art. no.		6220001
Technical data		
Cleaning agent Volume flow	l/min	0.8
Cleaning agent tank contents	l	4 – 9
Max. weight on the support grid	kg	40
Working pressure	bar	5 – 8
Requirement approx.	l/min	140
Connection thread	"	1/4
Power consumption 230 V/~50 Hz	kW	0.04
Connection cable length	m	1.5
Work cabin volume	l	140
Hand hole diameter	mm	100
Dimensions (L x W x H) Cabin space approx.	mm	736 x 560 x 450
Dimensions (L x W x H) approx.	mm	785 x 595 x 700
Weight approx.	kg	29.5

UR special 10l

Accessory	Art. no.
Cleaning and blow-out gun	6231000
Fluorescent tube	6231001
Viewing window	6231002
Gloves	6231003
Intensive Universal Cleaner UR-Special 10l	7321910


Parts washer

Parts washer TWG 1 H – with digital temperature control

- ▶ Digital temperature control that allows the solvent temperature to be set precisely
- ▶ Large, smooth-moving lid for quick and easy loading and unloading
- ▶ Optimum view of the work area thanks to interior lighting and large viewing window
- ▶ Efficient cleaning and drying thanks to cleaning gun with dual function
- ▶ Automatic switch-off when the solvent level is low or the lid is open
- ▶ Integrated compressed air connection for a reliable air supply



- Digital temperature control
- Analogue setting of the air pressure



- Efficient cleaning and drying thanks to cleaning gun with dual function



- Integrated fill level indicator for the cleaning medium

Model		TWG 1 H
Art. no.		6220011

Technical data		
Cleaning agent Volume flow	l/min	0.8
Cleaning agent tank contents	l	8 – 14
Max. weight on the support grid	kg	40
Temperature max.	°C	50
Working pressure	bar	5 – 8
Requirement approx.	l/min	140
Connection thread	"	1/4
Power consumption 230 V/~50 Hz	kW	1.25
Work cabin volume	l	140
Hand hole diameter	mm	100
Dimensions (L x W x H) approx.	mm	790x610x1260
Weight approx.	kg	46

Accessories	Art. no.
Cleaning and blow-out gun	6231000
Fluorescent tube	6231001
Viewing window	6231002
Gloves	6231003